

ATTORNEY DOCKET  
066303.0109

PATENT APPLICATION  
09/579,640

10

3. (Previously Amended) The system of Claim 1, wherein at least one set of adjacent chassis are stacked such that the top of a first chassis is in direct contact with the base of a second chassis with no gap therebetween apart from the vent of the second chassis.

4. (Previously Amended) The system of Claim 1, wherein the vent has a plurality of apertures.

5. (Twice Amended) The system of Claim 1, wherein the [notched vent member has] two or more venting surfaces angle [angling] toward the portion.

6. (Previously Amended) The system of Claim 1, wherein the notched vent member coupled to the base and the portion has two venting surfaces forming a ninety degree angle.

7. (Twice Amended) A system for housing telecommunications equipment, comprising:

a chassis housing the telecommunications equipment and having a top that is substantially closed, first and second sides, first and second ends, and a base;

at least one vent formed in the chassis adjacent the base, wherein the vent is operable to allow air to enter the chassis; and

wherein the vent is disposed between the base and a portion of the chassis selected from the group consisting of the first side, the second side, the first end, and the second end, and wherein the vent is nonplanar in relation to the portion, wherein the vent is a notched vent member coupled to the base and the portion, wherein the notched vent member has two or more venting surfaces.

B

ATTORNEY DOCKET NO  
066303.0109

VENT APPLICATION  
09/579,640

11

8. (Previously Amended) The system of Claim 7 further comprising:

a support underneath the base of the chassis, wherein the support is operable to support the chassis.

9. (Previously Amended) The system of Claim 8, wherein the chassis and the support are separated by a gap that is less than 1.75 inches exists.

10. (Previously Amended) The system of Claim 8, wherein the chassis and the support have no gap therebetween apart from the vent.

11. (Previously Amended) The system of Claim 7, wherein the vent has a plurality of apertures.

12. (Twice Amended) The system of Claim 7, wherein the [notched vent member includes] two or more venting surfaces angle [angling] toward the portion.

13. (Previously Amended) The system of Claim 7, wherein the notched vent member coupled to the base and the portion includes two venting surfaces forming a ninety degree angle.

ATTORNEY DOCKET NO  
066303.0109

ENT APPLICATION  
09/579,640

12

14. (Twice Amended) A method for housing telecommunications equipment, the method comprising:

vertically disposing a plurality of chassis, each chassis housing the telecommunications equipment and having a top that is substantially closed, first and second sides, first and second ends, and a base, wherein the top of each chassis is adapted to receive the base of an adjacent chassis; and

forming at least one vent in each chassis adjacent the base, wherein the vent is operable to allow air to enter the chassis, and wherein the vent is disposed between the base and a portion of the chassis selected from the group consisting of the first side, the second side, the first end, and the second end, and wherein the vent is nonplanar in relation to the portion, wherein the vent is a notched vent member coupled to the base and the portion, wherein the notched vent member has two or more venting surfaces.

15. (Previously Amended) The method of Claim 14, wherein vertically disposing a plurality of chassis comprises separating at least one set of adjacent chassis by a gap that is less than 1.75 inches.

16. (Previously Amended) The method of Claim 14, wherein vertically disposing a plurality of chassis comprises stacking at least one set of adjacent chassis such that there is no gap therebetween apart from the vent.

17. (Previously Amended) The method of Claim 14, further comprising:

providing the vent with a plurality of apertures.

18. (Twice Amended) The method of Claim 14, wherein the [notched vent member includes] two or more venting surfaces angle [angling] toward the portion.

19. (Previously Amended) The method of Claim 14, wherein the notched vent member coupled to the base and the portion includes two venting surfaces forming a ninety degree angle.

20. (Twice Amended) A system for housing telecommunications equipment, comprising:

a plurality of vertically disposed chassis, each chassis housing the telecommunications equipment and having a top substantially closed, first and second sides, first and second ends, and a base, wherein the top of each chassis is adapted to receive the base of an adjacent chassis;

a first vent formed in each chassis and having a lower end and an upper end, the lower end coupled to the base and the upper end coupled to the first end of the chassis such that the front vent is nonplanar in relation to the first end;

a second vent formed in each chassis and having a lower end and an upper end, the lower end coupled to the base and the upper end coupled to the second end of the chassis such that the rear vent is nonplanar in relation to the second end; and wherein the first and second vents are operable to allow air to enter the chassis, wherein the first and second vents are notched vent members coupled to the base and the respective first and second ends, wherein the notched vent member has two or more venting surfaces.

21. (Previously Amended) The system of Claim 20, wherein at least one set of adjacent chassis in the plurality of vertically disposed chassis are separated by a gap that is less than 1.75 inches.

B Available Copy

ATTORNEY DOCKET N  
066303.0109TENT APPLICATION  
09/579,640

14

22. (Previously Amended) The system of Claim 20, wherein at least one set of adjacent chassis in the plurality of vertically disposed chassis are stacked such that the top of a first chassis is in direct contact with the base of a second chassis with no gap therebetween apart from the first and second vents of the second chassis.

23. (Previously Amended) The system of Claim 20, wherein the first and second vents each have a plurality of apertures.

24. (Twice Amended) The system of Claim 20, wherein the [notched vent members include] two or more venting surfaces angle [angling] toward the base.

25. (Previously Amended) The system of Claim 20, wherein the notched vent members coupled to the base include two venting surfaces forming a ninety degree angle.

FAX COPY RECEIVED  
MAY 10 2001  
TECHNOLOGY CENTER 2800

B